



Prepared For:

CLARINDA COMMUNITY SCHOOL

DISTRICT

423 E. NODAWAY CLARINDA, IA 51632 Prepared By:

[Name] [(999)555-9999]

[myemail@mydomain.com]

**Quote Number:** 

408177

**Quote Date:** 8/2/2024

**Customer Order No:** Clarinda EFX

Model Profile: MVP-EF 1418S

**Product Type:** 

School Transportation

Year:

2027

Chassis Model:

CHS8 **THOMAS** 

Chassis MFG:

**GVWR:** Passenger Capacity: 36200

Headroom:

78

78

Wheelbase: **Brake Type:**  231 AIR

**Engine Type:** 

CUMMINS B6.7 260 DIESEL, 6 Cyl, 260 HP, 2600 RPM

**Fuel Type:** 

DIESEL

**Fuel Tank Capacity:** 

100

Transmission Type:

**AUTOMATIC** 13200-lb Capacity

Axle, Front:

23000-lb Capacity

Axle, Rear: Tires, Front:

BRIDGESTONE - 11R22.5 14PLY R268E

Tires, Rear:

BRIDGESTONE - 11R22.5 14PLY M770

Suspension Front: Suspension Rear:

SPRING AIR-RIDE

Total for 1 complete unit(s):

**Delivery Cost:** 

\$ 179,344.00 INCLUDED

Includes the Following Equipment:

## BODY

## **ACCESSORIES**

- 1 DRIVER'S STORAGE BOX WITH LOCK EF
- 1 ACCESSORY COMPARTMENT W/HINGED SOLID PANEL, EFX
- 1 WINTERFRONT, EFX
- 1 PROP ROD ACCESS DOOR ABOVE WINDSHIELD, EFX
- 1 LUGGAGE COMPARTMENT SIDE MOUNT LS 100"
- 1 LUGGAGE COMPARTMENT SIDE MOUNT RS 100"

#### CERTIFICATION/SAFETY

- 1 FIRE EXTINGUISHER 5 LB.
- 1 FIRE EXTINGUISHER MOUNTING BRACKET FRICTION TYPE
- 1 KIT FIRST AID, 24 UNIT, COMPLIES WITH IOWA STATE SPECS
- 1 KIT BODY FLUID CLEAN-UP, COMPLIES WITH IOWA STATE SPEC
- 1 REFLECTORIZED TRIANGLES (3)-REAR OF ENTRANCE DOOR STEPWELL
- 1 EF ACCUSTYLE HEATED REMOTE REAR VIEW
- 1 EF EYE-MAX HEATED CROSSVIEW MIRRORS
- 1 SIGN-STOP, ELECTRIC FRONT SE1-7500
- 1 SIGN-STOP, ELECTRIC REAR SE1-7500
- 1 AIR CLUSTER LED / STROBE STOP SIGNAL 1 AIR STOP SIGNAL, CLUSTER LED STROBE LIGHT, REAR
- 1 LABEL QR, VEHICLE DATA
- 1 LABEL U.S. CERTIFICATION
- 1 XING ARM, AIR BLADDER OPERATION
- 1 APPLICATION SCHOOL
- 1 LABEL-GHG CERTIFICATION ENGLISH

## **DOORS**

- 1 AIR DOOR CONTROLLER/NON-STANDARD-EFX
- 1 RELOCATE EMERGENCY RELEASE VALVE FRONT ENTRANCE DOOR EFX
- 1 DOOR HANDLE NICKEL-PLATED
- 1 AIR, ELECTRIC OR MANUAL OPER O/O ENT DOOR W/VANDALOCK-EFX
- 1 141828 N
- 1 RIGHT SIDE DOOR NONE
- 1 LEFT SIDE DOOR NONE
- 1 VANDALOCK REAR EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 CORROSION RESISTANT SEALER, REAR DOOR

#### **ELECTRICAL - BODY**

- 1 PASSENGER ADVISORY SYSTEM HORN ACTIVATION EFX
- 1 TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 BACKING ALARM HEAVY DUTY 112DB
- 1 PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA
- 1 GPS ZONAR SYSTEM, EFX
- 1 PREMIUM SPEAKERS EIGHT (8)
- 1 RADIO AM/FM DEA700 DELPHI, TRANSIT W/PAGE
- 1 BREAKERS MANUAL RESET
- 1 SWITCH BANK 3, 1 THRU 15
- 1 LIGHT-COMPARTMENT(2)TWO LEFT SIDE
- 1 ADDITIONAL DOME LIGHTS LED (TWO)
- 1 ADDITIONAL DOME LIGHTS-LED, EFX
- 1 DELUXE DRIVER'S DOME LIGHT
- 1 DOME LIGHT SWITCH
- 1 REAR EMERGENCY EXIT LIGHTING (NEW JERSEY)
- 1 STEP LIGHT SWITCH (MARKER LIGHTS ON) EFX
- 1 LIGHT-LED STEPWELL EFX
- 1 7" LED FRONT DIRECTIONAL LIGHTS EFX
- 1 LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 LAMPS-LICENSE PLATE ILLUMINATION LED
- 1 SIDE DIRECTIONAL-PIN AMBER TURN, CEBTER FRONT WHEEL
- 1 STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- 1 LED WARNING LIGHTS STROBE, FOUR(4) AMBER & FOUR (4) RED LENS
- 1 HALOGEN 8-LIGHT WARNING SYSTEM
- 1 MARKER/ID LAMPS LED PIN TYPE
- 1 MID-MARKER LAMPS LED PIN TYPE
- 1 STROBE-ECCO 7460CC REAR HOOD CLEAR
- 1 REFLECTORS FRONT
- 1 ENGINE HEATER RECEPTACLE-RS FRONT AT ENTRANCE DOOR
- 1 SWITCH ENTRANCE DOOR, THREE POSITION
- 1 CROSSING ARM DEACTIVATION SWITCH AIR
- 1 NOISE SUPPRESSION SWITCH
- 1 SWITCH COMPARTMENT LIGHT
- 1 STATIC VENT FRONT TRANSIT, STANDARD
- 1 BATTERY HOLD DOWN BRACKET STANDARD 3 BATTERY
- 1 BATTERY BOX INSULATION SMALL BOX
- 1 BATTERY BOX STANDARD
- 1 DECAL-BATTERY DISCONNECT

#### **EXTERIOR**

- 1 THUMB LATCH FUEL FILLER DOOR
- 1 20 GAUGE SMOOTH SIDE SHEETS
- 1 BOTTOM RAIL
- 1 EXTENDED REAR WINDOW RAILS
- 1 COLORADO RACK & LOAD CERTIFICATION EFX
- 1 BRACKET MOUNTING, LICENSE PLATE, FRONT
- 1 MUD FLAPS REAR, RUBBER, 22" WIDE WITH LOGO
- 1 MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO
- 1 TOW HOOKS TWO (2)
- 1 FENDERETTES FOUR (4)

#### HVAC

- 1 HEATER LEFT SIDE, 15,000 BTU
- 1 CONSTANT TORQUE CLAMPS STANDARD HEATER

- 1 HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT
- 1 84,000 BTU HEATER 5TH SECTION LEFT SIDE
- 2 84,000 BTU HEATER 12TH SECTION LEFT SIDE
- 1 PARALLEL HEATER CONNECTION REAR HEATERS TWO(2)
- 1 CONSTANT TORQUE CLAMPS TWO (2) REAR UNDERSEAT HEATERS
- 1 GATES BLUE STRIPE HEATER HOSE RIGHT FRONT HEATER

#### INTERIOR

- 1 FLOOR STEP NOSING
- 1 GRAY KOROSEAL STEP TREADS OUTWARD OPENING ENT DOOR EFX
- 1 SEALING-ENTRANCE DOOR STEP TREADS
- 1 STEPWELL GUARD EFX
- 1 STAINLESS STEEL AISLE STRIPS
- 1 BLUE VINYL FLOOR WITH 13" CENTER AISLE
- 1 VESTIBULE FLOOR COVERING BLUE MARBLE, CENTER EFX
- 1 PLYWOOD FLOOR 5/8" THICKNESS
- 1 MIRROR INTERIOR 6" X 30" BACK UP CAMERA
- 1 78" HEADROOM
- 1 SPECIAL URETHANE FOAM INSULATION
- 1 POLYESTER INSULATION RAFTER CAVITIES
- 1 ACOUSTIC HEADLINING COMPLETE
- 1 SEALANT PLYWOOD FLOOR EDGES
- 1 MAR-PROOF WALLS

#### MISC

- 1 PDI IDENTIFIER-DEALER PERFORMED
- 1 BODY ADJUSTMENT-MVP-EF 2010 EPA
- 1 EFX BODY ADJUSTMENT
- 1 BODY ADJUSTMENT-EFX 2013 EPA
- 1 EFX CHASSIS ADJUSTMENT
- 1 MVP-EF

#### PAINT/LETTERING

- 1 DECAL-UNITED AUTO WORKERS
- 3 LABEL EMERGENCY EXIT, 2" BLACK, SIDE PUSHOUT WINDOW
- 1 LABEL EMERGENCY DOOR,2" BLACK, REAR DOOR
- 1 BLACK HANDLE EMERGENCY DOOR(S)
- 1 PAINT BLACK EYES 3" MINIMUM
- 1 LETTERING IOWA
- 1 DECAL-"DIESEL FUEL ONLY"
- 1 LABEL-APPROVED FUEL INSTRUCTIONS
- 1 LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 BATTERY BOX LETTERING
- 1 LETTERING-O/H SAFETY EQUIP COMPARTMENT EFX
- 1 LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 3 YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 YELLOW REFLEXITE PERIMETER OF REAR EMERGENCY DOOR
- 1 YELLOW 3M "SCHOOL BUS" SIGN FRONT HOOD EFX
- 1 YELLOW 3M "SCHOOL BUS" SIGN REAR HOOD
- 1 YELLOW REFLEXITE 2", FLOOR LINE BOTH SIDES OF BUS BODY
- 1 LETTERING 2" HIGH RATED CAP. 78
- 2LETTERING 6" HIGH CLANRINDA COMMUNITY SCHOOLS
- 1 ARROW-EXT REAR EMER DR BLACK
- 1 PAINT-EXTERIOR ROOF WHITE 6"
- 1 PAINT-EXT WDO AREA SAME AS BODY
- 1 PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 PAINT-EXT BUMPERS FRT/RR BLACK
- 1 PAINT-SOLID COLOR YELLOW

## **SEATS**

- 1 SEALING FLOOR COVERING
- 1 SEAT BELT CUTTER TIE TECH
- 1 SEAT BELT DRIVERS SEAT
- 1 BARRIER STORAGE POUCH, LEFT SIDE BEHIND DRIVER

- 1 KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,LT SIDE
- 1 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 BACK-NATIONAL DRV'S SEAT
- 1 ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 UPH DR.ST.FABRIC BLK NATIONAL
- 1 PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 COVER PEDASTAL NATIONAL NONE
- 1 SLIDE STOP NATIONAL DR.ST. NONE
- 1 RETAINER NATIONAL DR.ST.BELT
- 1 POUCH-DR.ST.STORAGE NONE
- 1 RISER-DRIVERS SEAT, NATIONAL NONE
- 26 FIREBLOCK GRAY UPHOLSTERY IMMI SBR PASSENGER SEAT
- 1 HARDWARE-SBR WALL MOUNT TRANSIT
- 11 IMMI SBR 39" LS WALL MNT 3PT 3POS
- 2 IMMI SBR 39" LS WALL MNT 3PT 3POS ICS 1POS
- 11 IMMI SBR 39" RS WALL MNT 3PT 3POS
- 2 IMMI SBR 39" RS WALL MNT 3PT 3POS ICS 1POS
- 1 FIREBLOCK GREY UPHOLSTERY S3C PASSENGER SEAT
- 1 S3C WALL MOUNT HARDWARE TRANSIT

#### WINDOWS/GLASS

- 1 STANDARD SASH MILL FINISH
- 1 TINTED TEMPERED GLASS COMPLETE EFX
- 1 TINTED WINDSHIELD W/5" BAND EFX
- 3 TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 STORM GLASS (TEMPERED) DRIVER'S WINDOW, MILL FINISH FRAME
- 1 CLEAR TEMPERED GLASS-OUTWARD OPENING ENT DOOR, UPPER/LOWER
- 1 TINT TEMP GLASS-COMP (28.5")
- 2 TINT TEMP GLASS-COMP(28.5")+10
- 1 WINDOW STOPS (12")

#### OTHER

- 1 2019 CUMMINS ENGINE TARIFF
- 1 SURCHARGE-RAW MATERIAL (STEEL) 1408/1418 MODELS
- 1 POWER OUTLET (2) USB TYPE D
- 1 LIGHT-COMPARTMENT(1)TWO RS
- 1 HATCH-RF ESC SPEC ADVANTAGE H1975-025-111 ENGLISH (2)

## CHASSIS

## **AXLES AND SUSPENSIONS**

- 1 AXLE REAR, DET 23K, 5.22 RATIO
- 1 SYNTHETIC LUBE STD W/AXLE
- 1 SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 FREIGHTLINER "AIRLINER" RR SUSPENSION-8 5/8" BRAKES,23K LBS

#### **BRAKES**

- 1 AUTOMATIC AIR TANK DRAIN HEATED, EF
- 1 AIR DISC BRAKES, FRONT EFX
- 1 AIR DISC BRAKES, REAR EFX
- 1 ANTILOCK BRAKES(AIR)-MERITOR/WABCO FOR REAR AXLE (8)
- 1 ELECTRONIC STABILITY CONTROL EFX AIR BRAKES
- 1 PARKING BRAKE INTERLOCK

## CHASSIS EQUIPMENT

- 1 SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 AIR ACCESSORY SYSTEM (MVP-EF EQUIPPED WITH AIR BRAKES)
- 1 EXHAUST SECTION UNDER RAIL STAINLESS STEEL
- 1 HOSES-RBR, ADVNCED GRD(GATES BLU STRIPE)W/CONSTNT TRQ CLMP
- 1 100 GALLON FUEL TANK BETWEEN THE RAILS
- 1 TOW HOOKS, FRONT TWO (2)
- 1 163 3/8" REAR FRAME OVERHANG

#### **ELECTRICAL - CHASSIS**

- 1 LEECE-NEVILLE 240 AMP ALTERNATOR CUMMINS-ISB (EF)
- 1 CIRCUIT BREAKERS-MANUAL RESET MVP-EF

- 1 SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS
- 1 TWO WAY RADIO PREP POWER LEAD
- 1 HEADLIGHTS IGNITION ACTIVATION

# **ENGINE AND EQUIPMENT**

- 1 AIR DRYER-BENDIX AD- IP W/HTR CUMMINS ISB-200 2013 EPA
- 1 TRIPLE 12-VOLT BATTERIES CUMMINS ISB EFX 2013 EPA
- 1 CUMMINS TURBO BRAKE NONE
- 1 CRUISE CONTROL CUMMINS ISB ENGINE
- 1 VEHICLE SPEED LIMITING(75 MILES PER HOUR SETTING)
- 1 FUEL/WATER SEPARATOR WITH HEATER EFX, CUMMINS ISB
- 1 WATER FILTER CUMMINS ISB-260 2013 EPA
- 1 BLOCK HEATER 750 WATT, 120 VOLT (CUMMINS ISB'02)
- 1 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 CUMMINS B6.7-260 ENGINE (EFX) 2013 EPA
- 1 ENGINE MODEL YEAR 2024

#### TRANSMISSION AND EQUIPMENT

- 1 ALLISON 3000 PTS TRANSMISSION CUMMINS ISB-260 2013 EPA
- 1 ALLISON FUEL SENSE NONE
- 1 ALLISON 6 GENERATION CONTROL

#### WHEELS AND TIRES

- 2 BRIDGESTONE 11R22.5 14PLY R268E
- 4 BRIDGESTONE 11R22.5 14PLY M770
- 1 HUB-PILOTED WHEEL EQUIPMENT 23,000 LB AXLE
- 6 DISC WHEEL ACCU-LITE ALUMINUM (HUB PILOTED)8.25X22.5

# **OTHER TYPE**

## PDI

1 ALERT-CUSTOM OPS INSTALLATION

# **DEALER ADD On's**

## **EQUIPMENT**

- 1 Install System
- 1 REI Camera System
- 1 Rooftop A/C

Meets all FMVSS requirements in effect at the time of manufacture.	
Total for 1 complete unit(s): Delivery Cost:	\$ 179,344.00 INCLUDED
Additional options you may want to consider: [ADDITIONAL EQUIPMENT]	\$ [COST]
Terms and Conditions: Quote Expires: 9/05/2024	
Customer Signature:	Date:
Dealer Signature:	Date:
AttachedDetail	

# Standard Equipment - Body:

Accessory Switch

Assist Rail

Battery Box Body Panels Bumpers Circuit Protectors

Color

Driver's Seat Belt Emergency Door Entrance Door Fenderettes - Front

and Rear

Floor

Floor Covering

Fuel Tank Opening

**Guard Rails** 

Heater

Insulation

Interior Mirror

Lettering

Lights

Maintenance Manual

Reflectors

Rustproofing

Service Access

Panels

Stepwell

Storage

Sun Visor

Switch Panel

Undercoating

Ventilator

Windows

Windshield

Windshield Washers

Windshield Wipers

Wiring Harness

#### Optional Equipment - Body:

- 1 DECAL-UNITED AUTO WORKERS
- 1 ALERT-CUSTOM OPS INSTALLATION
- 1 2019 CUMMINS ENGINE TARIFF
- 1 SURCHARGE-RAW MATERIAL (STEEL) 1408/1418 MODELS
- 1 PDI IDENTIFIER-DEALER PERFORMED
- 1 STANDARD SASH MILL FINISH
- 3 LABEL EMERGENCY EXIT, 2" BLACK, SIDE PUSHOUT WINDOW
- 1 LABEL EMERGENCY DOOR,2" BLACK, REAR DOOR
- 1 BLACK HANDLE EMERGENCY DOOR(S)
- 1 PAINT BLACK EYES 3" MINIMUM
- 1 LETTERING IOWA
- 1 DECAL-"DIESEL FUEL ONLY"
- 1 LABEL-APPROVED FUEL INSTRUCTIONS
- 1 LABEL DIESEL EXHAUST FLUID (DEF) ENGLISH
- 1 BATTERY BOX LETTERING
- 1 LETTERING-O/H SAFETY EQUIP COMPARTMENT EFX
- 1 LABEL 2010 EPA EXHAUST REGENERATION ENGLISH
- 1 YELLOW REFLEXITE 2", PERIMETER OF REAR BUS BODY
- 3 YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 YELLOW REFLEXITE PERIMETER OF REAR EMERGENCY DOOR
- 1 YELLOW 3M "SCHOOL BUS" SIGN FRONT HOOD EFX
- 1 YELLOW 3M "SCHOOL BUS" SIGN REAR HOOD
- 1 YELLOW REFLEXITE 2", FLOOR LINE BOTH SIDES OF BUS BODY
- 11 LETTERING 2" HIGH
- 64 LETTERING 6" HIGH
- 1 ARROW-EXT REAR EMER DR BLACK
- 1 FLOOR STEP NOSING
- 1 GRAY KOROSEAL STEP TREADS OUTWARD OPENING ENT DOOR EFX
- 1 SEALING-ENTRANCE DOOR STEP TREADS
- 1 STEPWELL GUARD EFX
- 1 STAINLESS STEEL AISLE STRIPS
- SEALING FLOOR COVERING
- 1 BLUE VINYL FLOOR WITH 13" CENTER AISLE
- 1 VESTIBULE FLOOR COVERING BLUE MARBLE, CENTER EFX
- 1 PLYWOOD FLOOR 5/8" THICKNESS
- 1 TINTED TEMPERED GLASS COMPLETE EFX
- 1 TINTED WINDSHIELD W/5" BAND EFX
- 3 TINTED TEMPERED PUSHOUT-LEFT SIDE, VERTICAL HINGE
- 3 TINTED TEMPERED PUSHOUT-RIGHT SIDE, VERTICAL HINGE
- 1 STORM GLASS (TEMPERED) DRIVER'S WINDOW, MILL FINISH FRAME
- 1 CLEAR TEMPERED GLASS-OUTWARD OPENING ENT DOOR, UPPER/LOWER
- 1 PASSENGER ADVISORY SYSTEM HORN ACTIVATION EFX
- 1 FIRE EXTINGUISHER 5 LB.
- 1 FIRE EXTINGUISHER MOUNTING BRACKET FRICTION TYPE
- 1 KIT FIRST AID, 24 UNIT, COMPLIES WITH IOWA STATE SPECS
- 1 KIT BODY FLUID CLEAN-UP, COMPLIES WITH IOWA STATE SPEC
- 1 REFLECTORIZED TRIANGLES (3)-REAR OF ENTRANCE DOOR STEPWELL
- 1 DRIVER'S STORAGE BOX WITH LOCK EF
- 1 ACCESSORY COMPARTMENT W/HINGED SOLID PANEL, EFX
- 1 SEAT BELT CUTTER TIE TECH
- 1 TWO(2) DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 BACKING ALARM HEAVY DUTY 112DB
- 1 MIRROR INTERIOR 6" X 30" BACK UP CAMERA
- 1 PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA
- 1 GPS ZONAR SYSTEM, EFX
- 1 POWER OUTLET (2) USB TYPE D
- 1 PREMIUM SPEAKERS EIGHT (8)
- 1 RADIO AM/FM DEA700 DELPHI, TRANSIT W/PAGE
- 1 EF ACCUSTYLE HEATED REMOTE REAR VIEW
- 1 EF EYE-MAX HEATED CROSSVIEW MIRRORS
- 1 SIGN-STOP, ELECTRIC FRONT SE1-7500
- SIGN-STOP, ELECTRIC REAR SE1-7500
- 1 AIR CLUSTER LED / STROBE STOP SIGNAL
- 1 AIR STOP SIGNAL, CLUSTER LED STROBE LIGHT, REAR
- 1 BREAKERS MANUAL RESET
- SWITCH BANK 3, 1 THRU 15
- 1 LIGHT-COMPARTMENT(2)TWO LEFT SIDE

- LIGHT-COMPARTMENT(1)TWO RS
- ADDITIONAL DOME LIGHTS LED (TWO)
- ADDITIONAL DOME LIGHTS-LED, EFX
- DELUXE DRIVER'S DOME LIGHT
- DOME LIGHT SWITCH
- REAR EMERGENCY EXIT LIGHTING (NEW JERSEY)
- STEP LIGHT SWITCH (MARKER LIGHTS ON) EFX
- LIGHT-LED STEPWELL EFX
- 7" LED FRONT DIRECTIONAL LIGHTS EFX
- LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- LAMPS-LICENSE PLATE ILLUMINATION LED
- SIDE DIRECTIONAL-PIN AMBER TURN, CEBTER FRONT WHEEL
- STROBE LGT(S) OPERATIONS W/IGNITION&SWITCH
- LED WARNING LIGHTS STROBE, FOUR (4) AMBER & FOUR (4) RED LENS
- HALOGEN 8-LIGHT WARNING SYSTEM
- MARKER/ID LAMPS LED PIN TYPE
- MID-MARKER LAMPS LED PIN TYPE
- STROBE-ECCO 7460CC REAR HOOD CLEAR
- REFLECTORS FRONT
- ENGINE HEATER RECEPTACLE-RS FRONT AT ENTRANCE DOOR
- SWITCH ENTRANCE DOOR, THREE POSITION
- CROSSING ARM DEACTIVATION SWITCH AIR
- NOISE SUPPRESSION SWITCH
- SWITCH COMPARTMENT LIGHT
- 1 HEATER LEFT SIDE, 15,000 BTU
- CONSTANT TORQUE CLAMPS STANDARD HEATER
- HEATER SHUT-OFF VALVES BALL TYPE ENGINE COMPARTMENT 1
- 84,000 BTU HEATER 5TH SECTION LEFT SIDE
- 2 84,000 BTU HEATER 12TH SECTION LEFT SIDE
- PARALLEL HEATER CONNECTION REAR HEATERS TWO(2)
- CONSTANT TORQUE CLAMPS TWO (2) REAR UNDERSEAT HEATERS GATES BLUE STRIPE HEATER HOSE RIGHT FRONT HEATER
- AIR DOOR CONTROLLER/NON-STANDARD-EFX
- RELOCATE EMERGENCY RELEASE VALVE FRONT ENTRANCE DOOR EFX
- DOOR HANDLE NICKEL-PLATED
- AIR, ELECTRIC OR MANUAL OPER O/O ENT DOOR W/VANDALOCK-EFX
- 141828 N
- RIGHT SIDE DOOR NONE
- LEFT SIDE DOOR NONE
- VANDALOCK REAR EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- HATCH-RF ESC SPEC ADVANTAGE H1975-025-111 ENGLISH (2)
- 78" HEADROOM
- SPECIAL URETHANE FOAM INSULATION
- POLYESTER INSULATION RAFTER CAVITIES 1
- ACOUSTIC HEADLINING COMPLETE
- THUMB LATCH FUEL FILLER DOOR
- 20 GAUGE SMOOTH SIDE SHEETS
- **BOTTOM RAIL**
- EXTENDED REAR WINDOW RAILS
- CORROSION RESISTANT SEALER, REAR DOOR
- COLORADO RACK & LOAD CERTIFICATION EFX
- BRACKET MOUNTING, LICENSE PLATE, FRONT
- WINTERFRONT, EFX
- PROP ROD ACCESS DOOR ABOVE WINDSHIELD, EFX 1
- SEALANT PLYWOOD FLOOR EDGES 1
- MUD FLAPS REAR, RUBBER, 22" WIDE WITH LOGO 1
- MUD FLAPS FRONT, RUBBER, 15"W WITH LOGO 1
- TOW HOOKS TWO (2) 1
- 1 FENDERETTES - FOUR (4)
- MAR-PROOF WALLS 1
- STATIC VENT FRONT TRANSIT, STANDARD 1
- LABEL QR, VEHICLE DATA 1
- LABEL U.S. CERTIFICATION
- XING ARM, AIR BLADDER OPERATION
- LUGGAGE COMPARTMENT SIDE MOUNT LS 100"
- LUGGAGE COMPARTMENT SIDE MOUNT RS 100"
- BATTERY HOLD DOWN BRACKET STANDARD 3 BATTERY
- BATTERY BOX INSULATION SMALL BOX

- 1 BATTERY BOX STANDARD
- 1 BODY ADJUSTMENT-MVP-EF 2010 EPA
- 1 EFX BODY ADJUSTMENT
- 1 BODY ADJUSTMENT-EFX 2013 EPA
- 1 APPLICATION SCHOOL
- 1 SEAT BELT DRIVERS SEAT
- 1 BARRIER STORAGE POUCH, LEFT SIDE BEHIND DRIVER
- 1 KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,LT SIDE
- 1 39" BARR-VERT, WALL MT 45"H RS 2009
- 1 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 PROFORM EDO GRAY UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 TINT TEMP GLASS-COMP (28.5")
- 2 TINT TEMP GLASS-COMP(28.5")+10
- WINDOW STOPS (12")
- 1 DECAL-BATTERY DISCONNECT
- 1 PAINT-EXTERIOR ROOF WHITE 6"
- 1 PAINT-EXT WDO AREA SAME AS BODY
- 1 PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 PAINT-EXT BUMPERS FRT/RR BLACK
- 1 PAINT-SOLID COLOR YELLOW
- 1 LABEL-GHG CERTIFICATION ENGLISH
- 1 BACK-NATIONAL DRV'S SEAT
- 1 ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 UPH DR.ST.FABRIC BLK NATIONAL
- 1 PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 COVER PEDASTAL NATIONAL NONE
- 1 SLIDE STOP NATIONAL DR.ST. NONE
- RETAINER NATIONAL DR.ST.BELT
- 1 POUCH-DR.ST.STORAGE NONE
- 1 RISER-DRIVERS SEAT, NATIONAL NONE
- 26 FIREBLOCK GRAY UPHOLSTERY IMMI SBR PASSENGER SEAT
- 1 HARDWARE-SBR WALL MOUNT TRANSIT
- 11 IMMI SBR 39" LS WALL MNT 3PT 3POS
- 2 IMMI SBR 39" LS WALL MNT 3PT 3POS ICS 1POS
- 11 IMMI SBR 39" RS WALL MNT 3PT 3POS
- 2 IMMI SBR 39" RS WALL MNT 3PT 3POS ICS 1POS
- 1 FIREBLOCK GREY UPHOLSTERY S3C PASSENGER SEAT
- 1 S3C WALL MOUNT HARDWARE TRANSIT

#### **Optional Equipment - Chassis:**

- 1 SCHRAEDER VALVE LOCATED IN ENGINE COMPARTMENT (5,K)
- 1 AUTOMATIC AIR TANK DRAIN HEATED, EF
- 1 AIR DRYER-BENDIX AD- IP W/HTR CUMMINS ISB-200 2013 EPA
- 1 AIR ACCESSORY SYSTEM (MVP-EF EQUIPPED WITH AIR BRAKES)
- 1 LEECE-NEVILLE 240 AMP ALTERNATOR CUMMINS-ISB (EF)
- 1 AXLE REAR, DET 23K, 5.22 RATIO
- 1 TRIPLE 12-VOLT BATTERIES CUMMINS ISB EFX 2013 EPA
- 1 CIRCUIT BREAKERS-MANUAL RESET MVP-EF
- 1 AIR DISC BRAKES, FRONT EFX
- 1 AIR DISC BRAKES, REAR EFX
- 1 ANTILOCK BRAKES(AIR)-MERITOR/WABCO FOR REAR AXLE (8)
- 1 ELECTRONIC STABILITY CONTROL EFX AIR BRAKES
- 1 CUMMINS TURBO BRAKE NONE
- 1 CRUISE CONTROL CUMMINS ISB ENGINE
- 1 VEHICLE SPEED LIMITING(75 MILES PER HOUR SETTING)
- 1 FUEL/WATER SEPARATOR WITH HEATER EFX, CUMMINS ISB
- 1 WATER FILTER CUMMINS ISB-260 2013 EPA
- 1 BLOCK HEATER 750 WATT, 120 VOLT (CUMMINS ISB'02)
- 1 6' BLOCK HEATER ELECTRIC CORD FRONT/REAR RECEPTACLE
- 1 EXHAUST SECTION UNDER RAIL STAINLESS STEEL
- 1 HOSES-RBR, ADVNCED GRD (GATES BLU STRIPE) W/CONSTNT TRQ CLMP
- 1 CUMMINS B6.7-260 ENGINE (EFX) 2013 EPA
- 1 100 GALLON FUEL TANK BETWEEN THE RAILS
- 1 TOW HOOKS, FRONT TWO (2)
- 1 163 3/8<w:br/> REAR FRAME OVERHANG
- 1 SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS
- 1 TWO WAY RADIO PREP POWER LEAD
- 1 HEADLIGHTS IGNITION ACTIVATION
- 1 SYNTHETIC LUBE STD W/AXLE
- 1 SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 FREIGHTLINER <w:br/>AIRLINER<w:br/> RR SUSPENSION-8 5/8<w:br/> BRAKES,23K LBS
- 2 BRIDGESTONE 11R22.5 14PLY R268E
- 4 BRIDGESTONE 11R22.5 14PLY M770
- 1 ENGINE MODEL YEAR 2024
- 1 EFX CHASSIS ADJUSTMENT
- 1 PARKING BRAKE INTERLOCK
- 1 ALLISON 3000 PTS TRANSMISSION CUMMINS ISB-260 2013 EPA
- 1 ALLISON FUEL SENSE NONE
- 1 ALLISON 6 GENERATION CONTROL
- 1 HUB-PILOTED WHEEL EQUIPMENT 23,000 LB AXLE
- DISC WHEEL ACCU-LITE ALUMINUM (HUB PILOTED)8.25X22.5